L Nùmber	Hits	Search Text	DB	Time stamp
Number	147	domain add name with registers4	USPAT;	2003/05/30
-	14/	domain adj name with register\$4	EPO; JPO;	12:22
			IBM_TDB	2002/05/20
-	147	domain adj name with register\$5	USPAT;	2003/05/29
			EPO; JPO;	12:05
		3 4	IBM_TDB	2004/02/17
-	0	domain adj name with register\$5 and	USPAT;	2004/02/17
l		registry adj data\$base	EPO; JPO; IBM TDB	13:13
	5	domain adj name with register\$5 and	USPAT;	2003/05/29
-	,	regist\$4 adj data\$base	EPO; JPO;	12:05
		Tegiscol adj datapbase	IBM TDB	12.00
1_	7	domain adj name with register\$5 and	USPAT;	2003/05/29
	,	regist\$7 adj data\$base	EPO; JPO;	12:06
		l company and anomypape	IBM TDB	== 000
_	7	domain adj name with register\$5 and	USPAT;	2003/05/29
	,	regist\$7 adj data\$base and availabl\$4	EPO; JPO;	12:06
}			IBM TDB	
_	11	("6012067" "5488725" "5404506" "6094647"	USPAT;	2003/05/30
		"6055538" "6029195" "6006225" "5758149"	EPO; JPO;	12:23
		"5852657" "5864845" "5943666").pn.	IBM TDB	
-	o	domain adj name with register\$5 and	USPĀT;	2004/02/17
		registry adj data\$base	EPO; JPO;	13:13
I			IBM_TDB	
-	10	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store)	EPO; JPO;	13:18
			IBM_TDB	
-	1	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store) and	EPO; JPO;	13:14
	_	check\$4 with box	IBM_TDB	
-	1	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store) and	EPO; JPO;	13:14
		check\$4 adj box	IBM_TDB	2004/02/17
-	2	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store) and	EPO; JPO;	13:15
	7	check\$box domain adj name with register\$5 and	IBM_TDB USPAT;	2004/02/17
_	,	registr\$4 with (data\$base data\$store) and	EPO; JPO;	13:29
		available with name	IBM TDB	13.23
l _	31	domain adj name with register\$5 and	USPAT;	2004/02/17
		(domain registr\$4) with (data\$base	EPO; JPO;	13:29
•		data\$store) and available with name	IBM TDB	
-	33	domain adj name with register\$5 and	USPĀT;	2004/02/17
		(domain regist\$4) with (data\$base	EPO; JPO;	13:47
		data\$store) and available with name	IBM_TDB	
-	21	domain adj name with register\$5 and	USPAT;	2004/02/17
		regist\$7 with (data\$base data\$store) and	EPO; JPO;	13:30
		available with name	IBM_TDB	0004/00/55
-	33	domain adj name with register\$5 and	USPAT;	2004/02/17
		(domain regist\$7) with (data\$base	EPO; JPO;	13:30
	_	data\$store) and available with name	IBM_TDB	2004/02/17
-	2	domain adj name with register\$5 and	USPAT;	2004/02/17
		regist\$7 with (data\$base data\$store) and available with name and check\$4 adj box	EPO; JPO; IBM TDB	13:30
1_	2	domain adj name with register\$5 and	USPAT;	2004/02/17
		regist\$7 with (data\$base data\$store) and	EPO; JPO;	13:30
		available with name and check\$4 with box	IBM TDB	
_	7	domain adj name with register\$5 and	USPAT;	2004/02/17
	'	(domain regist\$7) with (data\$base	EPO; JPO;	13:36
		data\$store) and available with name and	IBM TDB	
		check\$4 with box	_	
-	4	domain adj name with register\$5 and	USPAT;	2004/02/17
		(domain regist\$7) with (data\$base	EPO; JPO;	13:36
		data\$store) and available with name and	IBM_TDB	
		check\$4 with box and expir\$6 with date	_	
-	4	domain adj name with register\$5 and	USPAT;	2004/02/17
1		(domain regist\$7) with (data\$base	EPO; JPO;	13:37
		data\$store) and available with name and	IBM_TDB	
L		check\$4 with box and expir\$6		L

Search History 6/11/04 1:52:37 PM Page 1

-	36	domain adj name with register\$5 and (domain regist\$4) with (data\$base	USPAT; EPO; JPO;	2004/02/17 13:47
		data\$store) and available with (domain name)	IBM_TDB	
-	0	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain	USPAT; EPO; JPO; IBM_TDB	2004/02/17
-	0	name) and list with check\$4 with box domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and list\$4 with check\$4 with box	USPAT; EPO; JPO; IBM_TDB	2004/02/17 13:48
-	0	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) with check\$4	USPAT; EPO; JPO; IBM_TDB	2004/02/17 13:48
-	7	with box domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	USPAT; EPO; JPO; IBM_TDB	2004/02/18 09:31
-	0	box domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	USPAT; EPO; JPO; IBM_TDB	2004/02/18 09:31
-	0	box and register with (multiple plural) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	USPAT; EPO; JPO; IBM_TDB	2004/02/18
-	0	box and register with (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	USPAT; EPO; JPO; IBM_TDB	2004/02/18 09:31
_	7	box and register same (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 same (multiple plural\$4)	USPAT; EPO; JPO; IBM_TDB	2004/02/18 09:32
_	2	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4)	USPAT; EPO; JPO; IBM_TDB	2004/02/18 09:34
_	44	15	USPAT; EPO; JPO; IBM TDB	2004/02/18 09:35
_	3	Regist\$7 with (multiple plural\$4 group set) with domain adj name and single with request	USPAT; EPO; JPO; IBM TDB	2004/02/18 09:36
-	2	Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request	USPAT; EPO; JPO; IBM TDB	2004/02/18
_	0	Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request	USPAT; EPO; JPO; IBM TDB	2004/02/18 09:38
-	12	register with (plural\$4 multiple various group "more than one") with domain adj	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/02/18 10:58
_	1	domain adj name and column with tld	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/02/18 11:02

_	1	domain adj name and column with (top adj level adj domain (tld))	USPAT; US-PGPUB; EPO; JPO;	2004/02/18 11:03
			IBM_TDB	
-	30		USPAT;	2004/02/18
		level adj domain (tld) extension)	US-PGPUB;	11:06
			EPO; JPO;	
			IBM_TDB	
-	0	domain adj name and column with (top adj	USPAT;	2004/02/18
		level adj domain (tld) extension) and	US-PGPUB;	11:06
		(".net" ".com")	EPO; JPO;	
			IBM_TDB	
-	0		USPAT;	2004/02/18
		level adj domain (tld) extension) and	US-PGPUB;	11:06
		(".net" ".com" ".org")	EPO; JPO;	i l
			IBM_TDB	2224/22/12
-	0	1	USPAT;	2004/02/18
		level adj domain (tld) extension) and	US-PGPUB;	11:18
		(".net" ".com" ".org" ".gov")	EPO; JPO;	
		1,	IBM_TDB	2004/02/19
-	11	domain adj name and column with (top adj	USPAT; US-PGPUB;	2004/02/18
		level adj domain (tld) extension) and	EPO; JPO;	11.07
		(net com)	IBM TDB	
	_	3	USPAT;	2004/02/18
-	1	domain adj name and column with (top adj		11:09
		level adj domain (tld) extension) with	US-PGPUB; EPO; JPO;	11:03
		(net com)	IBM TDB	
		were with (domain add name) and column	USPAT;	2004/02/18
_	0	row with (domain adj name) and column	US-PGPUB;	11:10
		with (top adj level adj domain (tld)	EPO; JPO;	11.10
		extension)	IBM TDB	
	10	(row list\$4) with (domain adj name) and	USPAT;	2004/02/18
1 -	10	column with (top adj level adj domain	US-PGPUB;	11:10
[(tld) extension)	EPO; JPO;	
		(Cld) excension)	IBM TDB	
l _	0	domain adj name and column with (".net"	USPAT;	2004/02/18
		".com" ".org" ".gov")	US-PGPUB;	11:19
			EPO; JPO;	ļ
			IBM TDB	i
l <u>-</u>	511	domain adj name and table and row and	USPAT;	2004/02/18
		column	US-PGPUB;	11:19
			EPO; JPO;	
			IBM_TDB	
_	0	domain adj name and table and row and	USPAT;	2004/02/18
		column with tld	US-PGPUB;	11:19
	1		EPO; JPO;	
	1		IBM_TDB	
-	0		USPAT;	2004/02/18
		column with (level adj domain (tld))	US-PGPUB;	11:20
			EPO; JPO;	<u> </u>
			IBM_TDB	
-	1	domain adj name and table and row and	USPAT;	2004/02/18
	-	column with (level with domain (tld))	US-PGPUB;	11:22
			EPO; JPO;	1
			IBM_TDB	
-	2	***************************************	USPAT;	2004/02/18
		column with (level with domain (tld))	US-PGPUB;	11:23
			EPO; JPO;	
			IBM_TDB	0004/00/20
_	23		USPAT;	2004/02/18
		column with (level with domain (tld)	US-PGPUB;	11:26
		extension)	EPO; JPO;	
			IBM_TDB	2004/02/10
-	4708	column with (level adj domain (tld)	USPAT;	2004/02/18
		extension)	US-PGPUB;	11:59
			EPO; JPO;	
	1	1	IBM_TDB	1

-	104	row with (list name) and column with	USPAT;	2004/02/18
		(level adj domain (tld) extension)	US-PGPUB; EPO; JPO;	11:27
			IBM TDB	
_	10	row with (list name) and column with	USPAT;	2004/02/18
		(level adj domain (tld) extension) and	US-PGPUB;	11:31
İ		domain adj name	EPO; JPO;	
	407	wandahan Adamada adda mama)	IBM_TDB USPAT;	2004/02/19
_	487	register\$4 with (domain adj name)	US-PGPUB;	2004/02/18
			EPO; JPO;	11.51
			IBM_TDB	
-	83	register\$4 with (domain adj name) and	USPAT;	2004/02/18
		(top adj level adj domain (tld))	US-PGPUB;	11:32
			EPO; JPO; IBM TDB	
l _	12	register\$4 with (domain adj name) and	USPAT;	2004/02/18
		(top adj level adj domain (tld)) and	US-PGPUB;	11:32
		column	EPO; JPO;	
		2 112 12 2 11 2 1 12 1	IBM_TDB	2004/00/10
_	3	column with (level adj domain (tld))	USPAT; US-PGPUB;	2004/02/18
			EPO; JPO;	12.02
			IBM_TDB	
-	38	column with domain adj name	USPAT;	2004/02/18
			US-PGPUB;	12:02
1			EPO; JPO; IBM TDB	
_	632	domain with name with register\$4	USPAT;	2004/06/10
	002	domain with name with registery.	US-PGPUB;	15:02
	1		EPO; JPO;	
			IBM_TDB	0004/06/10
_	155	domain with name with register\$4 and register\$4 with (multiple plural\$4 group	USPAT; US-PGPUB;	2004/06/10 15:03
		set all) with domain with name	EPO; JPO;	15.05
		Boo all, with domain whom many	IBM TDB	
-	7	domain with name with register\$4 and	USPĀT;	2004/06/10
		register\$4 with (multiple plural\$4 group	US-PGPUB;	15:06
		set all) with domain with name with (one single) with request	EPO; JPO; IBM TDB	
_	7	domain adj name with register\$4 and	USPAT;	2004/06/10
		register\$4 with (multiple plural\$4 group	US-PGPUB;	15:07
		set) with domain adj name with (one	EPO; JPO;	
		single) with request	IBM_TDB	2004/06/10
-	1	(domain adj name with register\$4).ti. and register\$4 with (multiple plural\$4 group	USPAT; US-PGPUB;	2004/06/10 15:08
1		set) with domain adj name with (one	EPO; JPO;	
		single) with request	IBM_TDB	
-	3	domain adj name with register\$4 and	USPAT;	2004/06/10
		register\$4 with (multiple plural\$4 group	US-PGPUB; EPO; JPO;	15:10
		set) near3 domain adj name with (one single) with request	IBM TDB	
_	О	register\$4 with (multiple plural\$4 group	USPAT;	2004/06/10
		set) near3 domain adj name with	US-PGPUB;	15:10
		(concurrent\$4 "at the same time"	EPO; JPO;	
1_	0	together) register\$4 with (multiple plural\$4 group	IBM_TDB USPAT;	2004/06/10
1 -	ا	register;4 with (multiple plural;4 group set) near3 domain adj name with	US-PGPUB;	15:11
		(concurrent\$4 "at the same time" together	EPO; JPO;	. = =
		simultaneous\$4)	IBM_TDB	
-	4	register\$4 with (multiple plural\$4 group	USPAT;	2004/06/10
		set) with domain adj name with (concurrent\$4 "at the same time" together	US-PGPUB; EPO; JPO;	15:12
		simultaneous\$4)	IBM TDB	
-	4	register\$4 with (multiple "more than one"	USPAT;	2004/06/10
Ì		plural\$4 group set) with domain adj name	US-PGPUB;	15:13
		with (concurrent\$4 "at the same time"	EPO; JPO;	
L	<u></u>	together simultaneous\$4)	IBM_TDB	L

	4	register\$4 with (multiple "more than one" plural\$4 group few all set) with domain	USPAT; US-PGPUB;	2004/06/10 15:13
		adj name with (concurrent\$4 "at the same time" together simultaneous\$4)	EPO; JPO; IBM TDB	
_	30	register\$4 with multiple with domain with	USPĀT;	2004/06/10
		name	US-PGPUB; EPO; JPO;	15:13
			IBM_TDB	
-	2	register\$4 adj multiple adj domain adj name	USPAT; US-PGPUB;	2004/06/10 15:15
		name	EPO; JPO;	13.13
_	11	register\$4 with multiple adj domain adj	IBM_TDB USPAT;	2004/06/10
		name	US-PGPUB;	15:19
			EPO; JPO; IBM TDB	
-	17		USPĀT;	2004/06/10
		domain adj name and (multi\$5 plural\$4) with domain adj name	US-PGPUB; EPO; JPO;	15:22
		_	IBM_TDB	
_	6	(register\$4 with (plural\$4 mult\$5) adj domain adj name and (multi\$5 plural\$4)	USPAT; US-PGPUB;	2004/06/10
		with domain adj name) not (register\$4	EPO; JPO;	· · -
_	20	with multiple adj domain adj name) register\$4 with (plural\$4 similar mult\$5)	IBM_TDB USPAT;	2004/06/10
		adj domain adj name and (multi\$5	US-PGPUB;	15:22
		plural\$4) with domain adj name	EPO; JPO; IBM TDB	
-	20	register\$4 with (plural\$4 similar alike	USPĀT;	2004/06/10
		mult\$5) adj domain adj name and (multi\$5 plural\$4) with domain adj name	US-PGPUB; EPO; JPO;	15:23
		- · · · · · · · · · · · · · · · · · · ·	IBM_TDB	2004/06/10
_	3	(register\$4 with (plural\$4 similar alike mult\$5) adj domain adj name and (multi\$5	USPAT; US-PGPUB;	2004/06/10 15:26
		plural\$4) with domain adj name) not	EPO; JPO;	
		(register\$4 with (plural\$4 mult\$5) adj domain adj name and (multi\$5 plural\$4)	IBM_TDB	
_	74	with domain adj name) multiple adj domain adj name	USPAT;	2004/06/10
_	/ 3	multiple adj domain adj name	US-PGPUB;	15:26
			EPO; JPO; IBM TDB	
-	135	(plural\$4 multiple) near domain near name	USPAT;	2004/06/10
			US-PGPUB; EPO; JPO;	15:27
			IBM_TDB	0004/05/10
_	51	(plural\$4 multiple) near domain near name and register\$4 with (domain name)	USPAT; US-PGPUB;	2004/06/10 15:32
			EPO; JPO;	
_	9	 (plural\$4 multiple) near domain near name	<pre>IBM_TDB USPAT;</pre>	2004/06/10
		and register\$4 with (domain name) and	US-PGPUB;	15:31
	1	(concurrent\$4 simultaneous\$4 together "at the same time") with register\$4	EPO; JPO; IBM_TDB	
-	0	"register all"	USPAT; US-PGPUB;	2004/06/10 15:31
			EPO; JPO;	10.01
_	0	register\$4 adj all	IBM_TDB USPAT;	2004/06/10
		TOGID CETAL GOT GIT	US-PGPUB;	15:32
			EPO; JPO; IBM TDB	
-	11	(plural\$4 multiple) near domain near name	USPAT;	2004/06/10
		and register\$4 with (domain name) and register\$4 with (chosen choose select\$4)	US-PGPUB; EPO; JPO;	15:33
			IBM_TDB	

-	9	((plural\$4 multiple) near domain near	USPAT;	2004/06/10
	_	name and register\$4 with (domain name)	US-PGPUB;	15:33
		and register\$4 with (chosen choose	EPO; JPO;	
	1	select\$4) with (name domain)) not	IBM TDB	
		((plural\$4 multiple) near domain near	_	1
		name and register\$4 with (domain name)		
	}	and (concurrent\$4 simultaneous\$4 together		
		"at the same time") with register\$4)		
-	11	(plural\$4 multiple) near domain near name	USPAT;	2004/06/10
		and register\$4 with (domain name) and	US-PGPUB;	15:37
		register\$4 with (chosen choose select\$4)	EPO; JPO;	
		with (name domain)	IBM_TDB	
-	2	"register.com".as.	USPAT;	2004/06/10
			US-PGPUB;	15:37
			EPO; JPO;	
			IBM_TDB	
-	826	domain with name with regist\$7	USPAT;	2004/06/11
			US-PGPUB;	13:45
			EPO; JPO;	
			IBM_TDB	
-	20		USPAT;	2004/06/11
		with success\$4	US-PGPUB;	13:45
			EPO; JPO;	
			IBM_TDB	